

▶ PTH SERIES  
PTH 30.40 - 30.50

ENG



## DRUM CHIPPERS

*For the professional maintenance technician.  
Excellent quality of wood chips from any type of wood.*



GREENLINE



## PTH 30.50 - PTH 30.40

Designed to ensure an easier use for the operator and minimize maintenance costs, it is appreciated for the typically robust structure of Pezzolato chippers, ensuring reliability and excellent performance.

It is the ideal chipper both for the maintenance of greenery (thanks to the large feed hopper, is able to easily insert even bulky material), both for the wood and forest maintenance technician who needs, in addition to disposing of to reduce volumes and prevent forest fires, of produce quality wood chips. A stationary version with an electric motor is also available for carpentry or pellet producers.

It can be built in two versions: for manual feeding or for feeding by mechanical means. In the first case, the chipper is equipped with a sturdy safety bar that guarantees the operator present on the machine a safe use of the machine, while in the mechanical supply set-up the operator has a remote control to manage the main functions from a distance.

The main wear parts are specially designed for easy replacement, as well as having a low cost. The PTH 30.40 is the ideal machine for the maintenance technician looking for a professional chipper at a low cost. A "light" and practical chipper that can also be used with small tractors to operate in tight spaces. Available both in the autonomous motor version and PTO (Power Take Off tractor).





## TECHNICAL FEATURES

		PTH 30.50	PTH 30.40
Minimum tractor power:	Hp/kW	60/44	50/36
Maximum tractor power:	Hp/kW	130/95	120/88
Diesel motor power:	Hp/kW	99/74	-
Electric motor power:	kW	45	-
Maximum inlet passage:	mm	500x300	400x300
Maximum chipping diameter*:	mm	300	300
Knives:	n°	3	3
Hourly throughput*:	m /h <sup>3</sup>	10 ÷ 16	8 ÷ 12
Drum diameter:	mm	520	520
Drum width:	mm	500	400
Upper roller width:	mm	500	400
Grid hole size:		Variables on request	
"No stress" device:		Present	Present
Weight motor machine:	kg	3500	-
Weight :	kg	2300	1200

\* Diameters and declared production are variable according to the available power, wood type and chip size



The cutting system characterized by the closed drum and the interchangeable calibration grid according to the needs, allow to obtain a uniform and homogeneous wood chips even from material of little value.



# WHATEVER WOOD, THE BEST CHIPS

[www.pezzolato.com](http://www.pezzolato.com)



DEALER

Pezzolato Officine Costruzioni Meccaniche S.p.a.  
Via Provinciale Revello 89, 12030 Envie (CN) - ITALIA  
Tel. (+39) 0175 278077 - Mail: [info@pezzolato.it](mailto:info@pezzolato.it)